

KONSEC Konnektor Handbook

For Microsoft Outlook 2002 and Microsoft Outlook 2003

Forward

Thank you for choosing the **KONSEC** Konnektor.

Please read this handbook carefully and note the system requirements as well as the known issues.

This handbook describes the initial installation and usage of the **KONSEC** Konnektor. The latest information concerning the software can be found on the Internet at the following address:
<http://www.konsec.com>

Liability

The contents of this hand book have been carefully compiled. The information contained in this hand book do not constitute a warranty of the properties of the product. **KONSEC** is only liable inasmuch as is stated under the sales and delivery agreements and is not liable for technical inaccuracies or omissions. The information in this handbook may be changed without notice. Additional information, as well as changes and version-specific information concerning **KONSEC** Konnektor can be found at <http://www.konsec.com>.

To prevent undesired loss of data, the product should be monitored, and regular backups should be performed. **KONSEC** does not take on any responsibility for loss of data and damage caused by unmonitored usage of the product.

Trademarks

Product and company names mentioned are likely trademarks of their respective companies as well as manufacturers.

Copyright © 2003-2007 **KONSEC** GmbH. All Rights Reserved.

No part of this hand book may be reproduced or reused without the expressed written permission of **KONSEC** GmbH. In addition, a modification, in particular a translation of this documentation is not allowed without the permission of **KONSEC** GmbH.

KONSEC GmbH
Leitzstraße 45
70469 Stuttgart
Germany

Valid for **KONSEC** Konnektor Version 1.1

Last changed on: 18.10.2007

Contents

Forward	2
Liability.....	2
Trademarks	2
Contents	3
System Requirements.....	4
Operating System:.....	4
Outlook Version:	4
Server:.....	4
Support.....	4
Installing KONSEC Konnektor	5
Configuring MAPI Settings.....	8
Creating a New Outlook Profile.....	9
Setting Up an Email Account (POP3).....	10
Creating a New Outlook Data File	12
Outlook Profile Selection.....	14
Configuring a Global Address Book.....	15
Configuring Microsoft Outlook.....	19
Setting Up an IMAP Konnektor Account	19
Managing Free/Booked Settings	20
Using Outlook With the KONSEC Konnektor.....	22
Sharing Your Folder With Other Users	22
The Properties Dialog.....	22
Functionality Overview of the „KONSEC Konnektor“ Tab.....	23
Setting Up Sharing.....	24
Access Rights.....	25
Subscribing to Shared Folders.....	26
Outlook View after Subscribing to a Folder	27
The KONSEC Konnektor KQueue	28
Kqueue Status:	28
The KQueue Buttons:.....	28
Registry Configuration.....	29

System Requirements

Operating System:

MS-Windows 2000 (SP4) or MS-Windows XP (SP1 or SP2)

Outlook Version:

MS-Outlook 2000 (min. SP3+), MS-Outlook 2002/XP or MS-Outlook 2003

Server:


Kolab2 Server or *KONSEC* Kolab2 Server

Support

For questions and support issues, please contact your *KONSEC* merchant.


Installing KONSEC Konnektor

Double-click on **Setup.exe** to start the setup program.




Click on **Next >**.

Please read the End User License Agreement carefully, select *I Agree*, and click on **Next**.




Please select the folder in which **KONSEC** Konnektor should be installed, then click **Next**.



Install the **KONSEC** Konnektor by clicking **Next**.

The **KONSEC** Konnektor is now ready to be installed on your hard drive.




Complete the installation by clicking **Close**.

The **KONSEC** Konnektor was successfully installed.

Configuring MAPI Settings


After you have successfully installed *KONSEC* Konnektor, an email account, the offline data file and the mail profile must be created in the Microsoft Windows Control Panel.

Open the Control Panel by clicking on **Start > Control Panel**.



...and open the **Mail** category by double-clicking on the category icon.


The following mail setup dialog will appear:




Creating a New Outlook Profile

Add a new profile in the mail setup dialog.

Click on **Show Profile...**



Click on **Add...** and enter a profile name.




A sensible name for the profile would be „*Konnektor*“.


Confirm the action by pressing **OK**.

Immediately thereafter you will be presented with the email accounts dialog.


Setting Up an Email Account (POP3)




Choose „View or Edit *E-Mail Accounts*“ and click on **Next** .



Click **Add** to create a new email account.



Select the server type „POP3“ and click on **Next**




User Information: Enter your name and email address.

Login Information: Enter your email address that you use on your Kolab Server (e.g. joe.user@kolab.domain.com)

Server Information: Enter the mail server that is responsible for sending and receiving mail (POP3/SMTP). (Example.: kolab.domain.com)


Test the settings you entered by clicking **Test Settings...**



All five tests must be completed successfully. Check over the settings in the last dialog. You may close the „Test Account Settings“ dialog by pressing the **Close** button.

In the e-mail Accounts Dialog, click on **Next >** to continue.


Creating a New Outlook Data File




Next click on **New Outlook Data File...** in order to create a new Outlook Data File of the **KONSEC** Konnektor type.

Important!

A Data File may not exceed 2GB, otherwise data loss and/or application crashes are bound to happen.




Select the format „*KONSEC* Konnektor“ and click **OK**.



In the Email Accounts Dialog click on **Finished**.

Outlook Profile Selection




Now select the profile that should become the default profile. In the example above, „Konnektor“ is the default profile. Next, click on **OK** to complete the email account configuration.

With this action, you have completed the configuration of the **KONSEC** MAPI Storage Provider with the Control Panel.

Configuring a Global Address Book


Creating a global address book can be done with the standard Outlook method.

Open the Control Panel by clicking on **Start > Control Panel**.




and open the **Mail** category with a double-click.


The following Mail Setup dialog will appear:




Click on the **Email Accounts...** button.




Select the following option: „Add a new directory or address book.“ Click on **Next** >.




Select the „Internet Directory (LDAP)“ option and click on **Next** >.



Enter the name of your Kolab Server in the „*Server Name*“ field and click on the **Additional Settings...** button.



Choose a name for the address book. For example, Global address book. Click on the **Search** tab.



Now enter the LDAP Search basis for your Kolab Server.

For example, if your Mail Domain is „*kolab.domain.com*“, the LDAP Syntax would be „*dc=kolab, dc=domain, dc=com*“, if it is „*domain.com*“, the LDAP Syntax would be „*dc=domain, dc=com*“.

After clicking OK, the global address book should be available in Outlook.

Configuring Microsoft Outlook

After the email account, Outlook data file and profile have been created (see previous chapter), Outlook can be prepared for usage with the **KONSEC** Konnektor.

When Microsoft Outlook is started for the first time, the **KONSEC** IMAP Konnektor configuration dialog will appear automatically.

Setting Up an IMAP Konnektor Account

Your login and server information for your POP3 account, which you entered in the Control Panel, will automatically be brought over into the configuration dialog.

IMAP Konnektor

Account Settings

Displayname: kolab.domain.com

Login and Server Information

Your name: John Doe Username: John.Doe@kolab.domain.com

E-Mail-Address: John.Doe@kolab.domain.com Password: *****

Incoming mail server: kolab.domain.com Outgoing mail server: kolab.domain.com

Encryption (IMAP): TLS when possible Encryption (SMTP): TLS when possible

Authentication (IMAP): Password Authentication (SMTP): None


Validate Certificate Validate Certificate

OK Abbrechen


If you need to use self-signed certificates, verification of the certificate chain must be deactivated. Please enter your user password and confirm your entry by pressing **OK**.

Managing Free/Booked Settings

In the **Tools** menu, select the **Options** menu item.




Now click on the **Calendar Options...** button.



Make sure that the „Use iCalender when sending a meeting request over the Internet“ checkbox is checked.

Now click on the **Free/Busy Options...** button.



In the field „Search under“, enter the address of the Kolab Server which manages the Free/Booked Information. Because the Kolab Server automatically manages the Free/Booked Information on the server side, the „Publish at my location“ checkbox may not be checked.

The URL is as follows:

<http://kolab.domain.com/freebusy/%NAME%@%SERVER%.ifb>

Please replace „kolab.domain.com“ with the name of your Kolab Server. Other than this one change, the URL must be entered exactly as above.

Microsoft Outlook is now completely configured for usage with **KONSEC** Konnektor.

Important!!!

When using Outlook 2000 or older but not Outlook XP or Outlook 2003 you need to install the Microsoft Publishing Wizard in order to be able to access free/busy information. Please download the Microsoft Web Publishing Wizard from

<http://www.microsoft.com/downloads/details.aspx?FamilyID=63c2db9b-c616-46c2-8713-af9bb83c8d89&DisplayLang=en>

Please verify that you explicitly use version 1.52 (7/12/2000) English, 444KB.

Using Outlook With the KONSEC Konnektor


Together with the **KONSEC** Konnektor and the Kolab Server, Microsoft Outlook provides full groupware functionality.

In addition, you can share individual folders, calendars and address books with other users, as well as access other users' shared resources.

Within Outlook it is possible to turn synchronization on and off for each folder individually.


Sharing Your Folder With Other Users

If you wish to share one or more folders with another user, these must be marked as shared. To share a folder (for example, your calendar), right-click on it and select „Properties“.



The Properties Dialog

Click on the **KONSEC Konnektor** tab.



Functionality Overview of the „KONSEC Konnektor“ Tab

- Name:** Path and Name of the Folder on the Kolab Server
- Status:** There are three different status settings which may be selected for a folder.
- Offline Mode *do not synchronize with server*
 - Read Data from Server *overwrite local contents*
 - Online Mode *synchronize with server*
- My Rights:** Description of the folder's access rights. Possible settings include
- Full Access
 - Read/Write
 - Read and Add
 - Read
 - Anonymous Read Access
 - Hidden Read Access
- Edit Sharing:** This setting allows you to share your folders with other users. Please note that the Kolab user name must be used. (example joe.user@kolab.domain.com)


Setting Up Sharing

Click on the button **Edit Shares** in the „KONSEC Konnektor“ property page in the Properties dialog (which in turn is found in the context menu of the selected folder)

The „Sharing“ dialog will appear.

As usual, you have full access rights to your own folder.

In order to give other users permission to access your folder, click on the „Add“ button.



Now enter the user, to whom you wish to allow access, into the user name field. (for example joe.user@kolab.domain.com)

Access Rights

Read:	The folder is shown and the user may read the contents of the folder.
Read and Add:	The folder is shown, the user may read the contents of the folder and create new entries in the folder. However, no entries may be modified or deleted.
Read and Write:	The folder is shown, the user may read the contents of the folder, create new entries in the folder, and edit or delete existing entries.
Full Access:	The user receives full access privileges to the folder. The user may edit access rights, create and delete subfolders, add and delete entries, etc.
Anonymous Read Access:	The folder may be read without login in. The user can anonymously read the folder contents.
Hidden Read Access:	This right hides the folder in the sharing list. A user who knows the name of the folder, however, may subscribe to it by hand.

Tip: Multiple selections (choosing several users at the same time) are possible.


Chose the appropriate rights and press **OK**.

Leave the dialog by pressing **OK**.


Subscribing to Shared Folders.

If you want to add another user's folder to your Outlook, you must first subscribe to the folder.

To do this, click on **Tools > Synchronize IMAP Folders** (see diagram)



The IMAP Folder window will open. A list of shared folders will be seen in this window.




Under „INBOX“ you can see your own folders, and under the „user“ item you can see all the shared folders of other users.

To subscribe to a shared folder, click on the corresponding user and mark the desired folder (or folders). Confirm your selection by pressing **OK**.

Outlook View after Subscribing to a Folder

All subscribed folders will appear integrated under „user“, according to the owner's user name. You may use the folders according to the rights that were granted to you.





The KONSEC Konnektor KQueue

The KQueue manages the synchronization between the offline cache on your computer's hard drive and the Kolab Server. You have the ability to view the status of the connection.

The KQueue may be found in the Info area of Microsoft Windows.


Kqueue Status:

 = Online

 = Offline

The KQueue Buttons:

By right-clicking on the KQueue icon and the clicking on the „Properties“ menu item, the following Kqueue Properties dialog may be viewed.



Update:	Updates the KQueue view
Connect:	Connects to the Kolab IMAP Server
Disconnect:	Disconnects a connection to the Kolab IMAP Server
Remain online:	Causes a constant connection to the Kolab IMAP Server

Registry Configuration

The actual configuration parameter and their use can be found here:

<http://www.konsec.com/en/support/faq.html>